

Europäisches Patentamt
European Patent-Office
Office européen des brevets



(11) EP 1 260 928 A2

(12) EUROPEAN PATENT APPLICATION

(43) Date of publication:
27.11.2002 Bulletin 2002/48

(51) Int Cl.7: G06F 19/00, G07F 17/34

(21) Application number: 02291232.3

(22) Date of filing: 17.05.2002

(84) Designated Contracting States:
AT BE CH CY DE DK ES FI FR GB GR IE IT LI LU
MC NL PT SE TR
Designated Extension States:
AL LT LV MK RO SI

(72) Inventors:
• Loose, Timothy C.
Chicago, Illinois 60656 (US)
• Rothschild, Wayne H.
Northbrook, Illinois 60062 (US)

(30) Priority: 22.05.2001 US 862574

(74) Representative: Loisel, Bertrand
Cabinet Plasseraud,
84, rue d'Amsterdam
75440 Paris Cédex 09 (FR)


(71) Applicant: WMS Gaming Inc
Waukegan, Illinois 60085 (US)

(54) Reel spinning slot machine with superimposed video image

(57) A spinning reel slot machine comprises a plurality of mechanical rotatable reels and a video display. In response to a wager, the reels are rotated and stopped to randomly place symbols on the reels in visual association with a display area. The video display pro-


vides a video image superimposed upon the reels. The video image may be interactive with the reels and include such graphics as payout values, a pay table, pay lines, bonus game features, special effects, thematic scenery, and instructional information.

Fig. 2a



EP 1 260 928 A2

Fig. 2b



Description

FIELD OF THE INVENTION

[0001] The present invention relates generally to reel spinning slot machines and, more particularly, to a reel spinning slot machine with a video image superimposed upon the mechanical reels of the machine.

BACKGROUND OF THE INVENTION

[0002] A reel spinning slot machine generally comprises a plurality of mechanical rotatable reels controlled, by a processor. In response to a wager, the processor randomly selects an outcome from a plurality of possible outcomes and then causes the reels to be rotated and stopped to display the selected outcome. The selected outcome is represented by certain symbols on the reels being in visual association with a display area. If the selected outcome corresponds to a winning outcome identified on a pay table, the processor instructs a payoff mechanism to award a payoff for that winning outcome to the player in the form of coins or credits.

[0003] Heretofore, the display area of reel spinning slot machines has been fairly mundane. Any proposals for changing the appearance of the display area have been fairly minor and limited in capability. For example, in U.S. Patent No. 6,056,642 to Bennett, reel symbols are colored by backlighting the symbols with colored light bulbs or similar means. In U.S. Patent No. 6,027,115 to Griswold et al., the reels themselves contain electroluminescent elements that define one or more reel symbols, such as cherries, bars, a number "7," etc. If multiple electroluminescent elements are provided for a particular symbol, that symbol may be displayed in multiple formats. Although the above proposals change the appearance of the display area to some extent, a need exists for a spinning reel slot machine with a structure capable of effecting more extravagant changes to the appearance of the display area.

SUMMARY OF THE INVENTION

[0004] Accordingly, a spinning reel slot machine comprises a plurality of mechanical rotatable reels and a video display. In response to a wager, the reels are rotated and stopped to randomly place symbols on the reels in visual association with a display area. The video display provides a video image superimposed on the reels. The video image may be interactive with the reels and include such graphics as payout values, a pay table, pay lines, bonus game features, special effects, thematic scenery, and instructional information. The present invention is advantageous in that it is capable of effecting extravagant changes to the appearance of the display area and displaying the graphics within the player's focus (i.e., the mechanical reels).

BRIEF DESCRIPTION OF THE DRAWINGS

[0005] The foregoing and other advantages of the invention will become apparent upon reading the following detailed description and upon reference to the drawings.

FIG. 1 is an isometric view of a spinning reel slot machine embodying the present invention.

FIG. 2a is a side view of the slot machine with portions broken away to reveal internal structure in accordance with a first embodiment of the present invention.

FIG. 2b is a side view of the slot machine with portions broken away to reveal internal structure in accordance with a second embodiment of the present invention.

FIGS. 3 through 10a-c are front views of a display area of the slot machine with various video images superimposed on the mechanical reels.

FIG. 11 is a block diagram of a control system suitable for operating the slot machine.

[0006] While the invention is susceptible to various modifications and alternative forms, specific embodiments have been shown by way of example in the drawings and will be described in detail herein. It should be understood, however, that the invention is not intended to be limited to the particular forms disclosed. Rather, the invention is to cover all modifications, equivalents, and alternatives falling within the spirit and scope of the invention as defined by the appended claims.

DESCRIPTION OF ILLUSTRATIVE EMBODIMENTS

[0007] Turning now to the drawings and referring initially to FIG. 1, a spinning reel slot machine 10 comprises a plurality of mechanical rotatable reels 12a, 12b, 12c and a video display (see FIGS. 2a and 2b). In response to a wager, the reels 12a, 12b, 12c are rotated and stopped to randomly place symbols on the reels in visual association with a display area 16. Payouts are awarded based on combinations and arrangements of the symbols appearing in the display area 16. The video display provides a video image 18 occupying the display area 16 and superimposed on the reels 12a, 12b, 12c. The video image 18 may be interactive with the reels 12a, 12b, 12c, may be static or dynamic, and may include such graphics as payout values, a pay table, pay lines, bonus game features, special effects, thematic scenery, and instructional information. In the illustrated embodiment, the slot machine 10 is an "upright" version in which the display area 16 is oriented vertically relative to the player. Alternatively, the slot machine 10 may be a "slant-top" version in which the display area 16 is slanted at about a thirty degree angle toward the player of the slot machine 10.

[0008] Referring to FIGS. 2a and 2b, the video image 18 in the display area 16 may be either a direct image

(FIG. 2a) or a virtual image (FIG. 2b). If the video image 18 is a direct image, as in FIG. 2a, the direct image is preferably generated by a flat panel transmissive video display 14a positioned in front of the reels 12a, 12b, 12c. The transmissive display 14a may, for example, be a transmissive liquid crystal display (LCD) commercially available from LG Phillips LCD Co., Ltd., of Seoul, Korea. The transmissive display 14a may be outfitted with a touch screen mounted to a front surface of the display 14a. The touch screen contains soft touch keys denoted by the image on the underlying display 14a and used to operate the slot machine 10.

[0009] If the video image 18 is a virtual image, as in FIG. 2b, the virtual image is preferably generated by a projection arrangement including a video display 14b and a partially reflective mirror 20. The video display 14b and the partially reflective mirror 20 are relatively positioned to project the virtual image in front of the reels 12a, 12b, 12c between the reels and a player. The video display 14b is preferably mounted below the reels 12a, 12b, 12c and is generally perpendicular to the display area 16. The mirror 20 is preferably mounted in front of the reels 12a, 12b, 12c and is oriented at approximately a forty-five degree angle relative to both the video display 14b and the display area 16. The virtual image is generally parallel to the display area 16 and may, in fact, occupy the display area 16. Also, the virtual image may be three-dimensional. In the embodiment of FIG. 2b, the display area 16 includes a glass cover/window. This cover is optionally outfitted with a touch screen that contains soft touch keys denoted by the virtual image and used to operate the slot machine 10.

[0010] The video display 14b in FIG. 2b may be a CRT, LCD, dot matrix, LED, electro-luminescent, or other type of video display known in the art. Also, instead of mounting the video display 14b below the reels 12a, 12b, 12c, the display 14b may be mounted above the reels with the mirror 20 still oriented at approximately a forty-five degree angle relative to both the video display 14b and the display area 16.

[0011] Referring back to FIG. 1, the slot machine 10 is operable to play a basic slot game with the three mechanical spinning reels 12a, 12b, 12c and a bonus game triggered by a start-bonus outcome in the basic game. The number of mechanical reels may vary, for example, to include one or more additional reels. The mechanical reels may be mounted to a horizontal axis to spin vertically as shown or may, alternatively, be mounted to a vertical axis to spin horizontally. Also, instead of each column of symbols being associated with a single reel, each individual symbol may be associated with a single reel such that a symbol array of nine symbols is associated with nine distinct reels. Each of five pay lines 22a, 22b, 22c, 22d, 22e extends through one symbol on each of the three mechanical reels. The number of pay lines may be more or less than five and may have various configurations.

[0012] Generally, game play is initiated by inserting a

number of coins or playing a number of credits, causing a central processing unit to activate a number of pay lines corresponding to the number of coins or credits played. As shown in FIG. 3, the superimposed video image 18 may depict instructional information prompting the player to insert coins or play credits. The player selects the number of pay lines (between one and five) to play by pressing a "Select Lines" key on a button panel 24. The player then chooses the number of coins or credits to bet on the selected pay lines by pressing a "Bet Per Line" key on the button panel 24. As shown in FIG. 4, the superimposed video image 18 may depict the activated pay lines and the number of wagered credits per pay line.

[0013] After activation of the pay lines, the reels 12a, 12b, 12c may be set in motion by touching a "Spin Reels" key on the button panel 24 or, if the player wishes to bet the maximum amount per line, by using a "Max Bet Spin" key on the button panel 24. Alternatively, other mechanisms such as, for example, a lever may be used to set the reels in motion. The central processing unit uses a random number generator to select a game outcome (e.g., "basic" game outcome) corresponding to a particular set of reel "stop positions." The central processing unit then causes each of the mechanical reels to stop at the appropriate stop position. Symbols are printed on the reels to graphically illustrate the reel stop positions and indicate whether the stop positions of the reels represent a winning game outcome.

[0014] Winning basic game outcomes (e.g., symbol combinations resulting in payment of coins or credits) are identifiable to the player by a pay table. As shown in FIG 5, the superimposed video image 18 may depict the pay table in response to a command by the player (e.g., by pressing a "Pay Table" key on the button panel 24). A winning basic game outcome occurs when the symbols appearing on the reels 12a, 12b, 12c along an active pay line correspond to one of the winning combinations on the pay table. A winning combination, for example, could be three matching symbols along an active pay line. If the displayed symbols stop in a winning combination, the game credits the player an amount corresponding to the award in the pay table for that combination multiplied by the amount of credits bet on the winning pay line. As shown in FIG. 6, the superimposed video image 18 may highlight the winning combination(s) (e.g., "7," "7," "7") and its associated pay line (e.g., pay line 22c) and depict the award for that winning combination. The video image 18 may further include special effects such as flashing the winning pay line(s) and/or the award and providing explosions. The winning pay line(s) may flash, be accompanied by exploding flashes, and display a portion of the pay table. The player may collect the amount of accumulated credits by pressing a "Collect" key on the button panel 24. In one implementation, the winning combinations start from the first reel 12a (left to right) and span adjacent reels. In an alternative implementation, the winning combinations start

from either the first reel 12a (left to right) or the third reel 12c (right to left) and span adjacent reels.

[0015] If the display area 16 includes a touch screen mounted to either the transmissive display 14a in the direct image embodiment of FIG. 2a or the glass cover in the virtual image embodiment of FIG. 2b, the video image 18 may duplicate some or all of the aforementioned keys on the button panel 24 as touch keys 26 as shown in various Figures. A player can then enable a desired function either by touching the touch screen at an appropriate touch key 26 denoted by the video image 18 or by pressing an appropriate key on the button panel 24.

[0016] Included among the plurality of basic game outcomes is a start-bonus outcome for triggering play of a bonus game. A start-bonus outcome may be defined in a number of ways. For example, a start-bonus outcome may occur when a special start-bonus symbol or a special combination of symbols appears on one or more of the reels 12a, 12b, 12c. The start-bonus outcome may require the combination of symbols to appear along an active pay line or may, alternatively, require that the combination of symbols appear anywhere on the display, regardless of whether the symbols are along an active pay line. The appearance of a start-bonus outcome causes the central processing unit to shift operation from the basic slot game to the bonus game.

[0017] As shown in FIG. 7, the video image 18 may depict the bonus game and any bonuses resulting therefrom. The bonus game may, for example, include free spins of a new set of video reels included in the video image 18. Winning combinations on the video reels may be defined by the same pay table as used for the mechanical reels or a different pay table altogether. The bonus game may be interactive and require a player to select one or more selectable elements 28 to earn bonuses. Also, the bonus game may depict one or more animated events and award bonuses based on an outcome of the animated events. Furthermore, the bonus game may be depicted by the video image 18 alone or in conjunction with a video image depicted on an optional secondary video display 40 (see FIG. 1). The two video images may be linked to appear like one unified image. Upon completion of the bonus game, the central processing unit shifts operation back to the basic slot game.

[0018] As shown in FIGS. 8a-c, 9a-c, and 10a-c, the video image 18 may be used to modify one or more symbols printed on one or more of the stopped mechanical reels 12a, 12b, 12c. For example, in response to a predetermined random or non-random event, the video image 18 may transform a reel symbol into a different symbol, such as a symbol needed to complete a winning combination. The different symbol is generated by the video image 18. In FIGS. 8a-c, the video image 18 depicts an animation transforming (e.g., "morphing") a blank symbol on mechanical reel 12b into a BELL symbol to form a winning combination of three BELL sym-

bols along pay line 22c. In addition, referring to FIGS. 9a-c, in response to a predetermined random or non-random event, the video image 18 may depict an animation in which a video indicator 29 is moved from a periphery of the display area (e.g., a corner of the display area away from the mechanical reels) to one or more of the symbols on the reels. The moving indicator 29 may identify the reel symbols to which it moves as a special symbol to be evaluated as, for example, a wild symbol or a scatter pay symbol. In FIGS. 10a-c, a video indicator 29 has moved to a CHERRY symbol on mechanical reel 12c. If the CHERRY symbol is thereby designated a wild symbol, the displayed symbol array includes a winning combination of three MELON symbols along pay line 22c where one of the three MELON symbols is formed by the wild symbol. Further, in FIGS. 10a-c, the video image 18 depicts an animation transforming a BELL symbol on reel 12c into a SEVEN symbol to form a winning combination of three SEVEN symbols along pay line 22c. The replacement SEVEN symbol generated by the video image 18 is sufficiently opaque or translucent to substantially cover the BELL symbol printed on mechanical reel 12c.

[0019] The slot machine is preferably designed to adjust the appearance of the video image 18 in terms of transparency, translucency, or opacity depending on the purpose of the video image 18. On the one hand, to permit clear viewing of the mechanical reels 12a, 12b, 12c underlying the video image 18, the portion of the video image 18 directly overlying the reels is made more transparent.

[0020] On the other hand, to facilitate viewing of the video image 18 without visual interference from the underlying mechanical reels, the video image 18 is made more opaque through proper selection of colors and their level of brightness. Also, to accentuate the video image 18 relative to the underlying reels following a reel spin, any lamps illuminating the reels during a reel spin may be turned off or dimmed following the reel spin. In addition, if the reels include blank symbols (e.g., solid white areas), any video graphics over such blank symbols will be readily visible. Similarly, any video graphics alongside, just above, or just below the underlying reels will be readily visible. Further, in the direct image embodiment of FIG. 2a, the transmissive video display 14a may be backed by an extendable opaque shade during the bonus game. The shade is retracted from the display area 16 during the basic slot game. When the central processing unit shifts operation from the basic slot game to the bonus game, the shade extends through the display area to separate the transmissive video display 14a from the underlying reels and thereby completely shield the underlying reels.

[0021] FIG. 11 is a block diagram of a control system suitable for operating the slot machine. The control system includes a central processing unit with a microcontroller 30 and system memory 32. The memory 32 preferably comprises a separate read-only memory (ROM)

and battery-backed random-access memory (RAM). It will be appreciated, however, that the system memory 32 may be implemented on any of several alternative types of memory structures or may be implemented on a single memory structure. For example, the read-only memory may be replaced or supplemented with a mass storage unit such as a removable flash memory or a hard drive. The system memory is used to store game-related data associated with the chance games played on the slot machine. The game-related data may, for example, include game code, math tables, a random number generator, audio resources, and video resources. The player may select an amount to wager and other game play functions via the touch screen keys 26 (if provided) or button panel 24. The wager amount is signaled to the microcontroller 30 by a coin/credit detector 34. In response to the wager, the microcontroller 30 executes the game code which, based on a randomly selected outcome, rotates and stops the mechanical reels 12a, 12b, 12c at the selected outcome. Also, the microcontroller 30 selectively accesses the video resources to be included in the video image 18 provided by the video display 14a (FIG. 2a) or 14b (FIG. 2b) and the audio resources to be played through one or more audio speakers 36 mounted to a housing of the slot machine. If the outcome corresponds to a winning outcome identified on the pay table, the microcontroller 30 instructs a payoff mechanism 38 to award a payoff for that winning outcome to the player in the form of coins or credits.

[0022] While the present invention has been described with reference to one or more particular embodiments, those skilled in the art will recognize that many changes may be made thereto without departing from the spirit and scope of the present invention. For example, instead of the video image 18 depicting a bonus game triggered by a start-bonus outcome on the mechanical slot reels 12a, 12b, 12c, the roles of the video image 18 and the slot reels may be reversed. The video image 18 may depict a basic game including a start-bonus outcome for triggering a bonus game involving spins of the slot reels. Each of these embodiments and obvious variations thereof is contemplated as falling within the spirit and scope of the claimed invention, which is set forth in the following claims.

Claims

1. A spinning reel slot machine (10), comprising:
 - a plurality of mechanical rotatable reels (12a-12c) that, in response to a wager, are rotated and stopped to randomly place symbols on the reels (12a-12c) in visual association with a display area (16); and
 - a video display (14a-b) providing a video image (18) superimposed upon the reels.
2. The slot machine of claim 1, wherein the video display (14a) is a flat panel transmissive display positioned in front of the reels.
3. The slot machine of claim 2, wherein the transmissive display (14a) is a liquid crystal display.
4. The slot machine of claim 2, further including a touch screen mounted to the transmissive display (14a).
5. The slot machine of claim 1, wherein the video image (18) is a virtual image.
6. The slot machine of claim 1, further including a partially reflective mirror (20) overlaying one or more of the reels (12a-12c), the video display (14b) and the partially reflective mirror (20) being relatively positioned to project the virtual image (18) in front of the reels (12a-12c) between the reels and a player.
7. The slot machine of claim 5, wherein the virtual image (18) is a three-dimensional image.
8. The slot machine of claim 5, wherein the virtual image (18) is generally parallel to the display area (16).
9. The slot machine of claim 6, wherein the virtual image (18) appears to be suspended in front of the reels (12a-12c) and is generally perpendicular to a front surface of the video display (14b), and wherein the partially reflective mirror (20) is generally angled relative to both the virtual image (18) and the front surface of the video display (14b).
10. The slot machine of claim 1, wherein the video image (18) is interactive with the reels (12a-12c).
11. The slot machine of claim 1, wherein the video image (18) includes graphics selected from a group consisting of payout values, a pay table, pay lines (22a-22e), bonus game features, special effects, thematic scenery, and instructional information.
12. The slot machine of claim 1, wherein the video image (18) includes a bonus game feature triggered by a start-bonus outcome of one or more of the symbols on the stopped reels.
13. The slot machine of claim 1, wherein the video image (18) is adjustable in terms of opacity, translucency, and transparency.
14. A spinning reel slot machine (10), comprising:
 - a plurality of mechanical rotatable reels (12a-12c) that, in response to a wager, are rotated

and stopped to randomly place symbols on the reels (12a-12c) in visual association with a display area; and

a transmissive video (14a) display positioned in front of the reels and displaying a video image (18) superimposed upon the reels.

15. The slot machine of claim 14, wherein the transmissive video display (14a) is a liquid crystal display.

16. The slot machine of claim 14, further including a touch screen mounted to the transmissive video display (14a).

17. The slot machine of claim 14, wherein the video image (18) is interactive with the reels (12a-12c).

18. The slot machine of claim 14, wherein the video image (18) includes graphics selected from a group consisting of payout values, a pay table, pay lines (22a-22e), bonus game features, special effects, thematic scenery, and instructional information.

19. The slot machine of claim 14, wherein the video image (18) includes a bonus game feature triggered by a start-bonus outcome of one or more of the symbols on the stopped reels (12a-12c).

20. The slot machine of claim 14, wherein the video image (18) is adjustable in terms of opacity, translucency, and transparency.

21. A method of operating a spinning reel slot machine (10), comprising:

receiving a wager;
rotating and stopping a plurality of mechanical rotatable reels (12a-12c) to randomly place symbols on the reels in visual association with a display area (16); and
superimposing upon the reels a video image (18) provided by a video display (14a-14b).

22. The method of claim 21, wherein the video image (18) is a virtual image.

23. The method of claim 22, wherein the virtual image (18) is a three-dimensional image.

24. The method of claim 22, wherein the virtual image (18) is generally parallel to the display area (16).

25. The method of claim 21, wherein the video image (18) is interactive with the reels (12a-12c).

26. The method of claim 21, wherein the video image (18) includes graphics selected from a group consisting of payout values, a pay table, pay lines (22a-

22e), bonus game features, special effects, thematic scenery, and instructional information.

27. The method of claim 21, wherein the video image (18) includes a bonus game feature triggered by a start-bonus outcome of one or more of the symbols on the stopped reels (12a-12c).

28. The method of claim 21, wherein the video image (18) is adjustable in terms of opacity, translucency, and transparency.

Fig. 1




Fig. 2a




Fig. 2b




Fig. 3




Fig. 4




Fig. 5




Fig. 6




Fig. 7




Fig. 8a




Fig. 8b




Fig. 8c




Fig. 9a




Fig. 9b




Fig. 9c




Fig. 10a




Fig. 10b




Fig. 10c





Fig. 11





(12) **EUROPEAN PATENT APPLICATION**

(88) Date of publication A3:
26.02.2003 Bulletin 2003/09

(51) Int Cl.7: **G06F 19/00, G07F 17/34**

(43) Date of publication A2:
27.11.2002 Bulletin 2002/48

(21) Application number: **02291232.3**

(22) Date of filing: **17.05.2002**

(84) Designated Contracting States:
AT BE CH CY DE DK ES FI FR GB GR IE IT LI LU
MC NL PT SE TR
Designated Extension States:
AL LT LV MK RO SI

(72) Inventors:
• **Loose, Timothy C.**
Chicago, Illinois 60656 (US)
• **Rothschild, Wayne H.**
Northbrook, Illinois 60062 (US)

(30) Priority: **22.05.2001 US 862574**

(74) Representative: **Loisel, Bertrand**
Cabinet Plasseraud,
84, rue d'Amsterdam
75440 Paris Cédex 09 (FR)

(71) Applicant: **WMS Gaming Inc**
Waukegan, Illinois 60085 (US)

(54) **Reel spinning slot machine with superimposed video image**

(57) A spinning reel slot machine comprises a plurality of mechanical rotatable reels and a video display. In response to a wager, the reels are rotated and stopped to randomly place symbols on the reels in visual association with a display area. The video display pro-

vides a video image superimposed upon the reels. The video image may be interactive with the reels and include such graphics as payout values, a pay table, pay lines, bonus game features, special effects, thematic scenery, and instructional information.

Fig. 2a





Fig. 2b





European Patent
Office

EUROPEAN SEARCH REPORT

Application Number
EP 02 29 1232

| DOCUMENTS CONSIDERED TO BE RELEVANT | | | |
|--|---|---|---|
| Category | Citation of document with indication, where appropriate, of relevant passages | Relevant to claim | CLASSIFICATION OF THE APPLICATION (Int.Cl.7) |
| Y | US 6 036 188 A (UBAN THOMAS W ET AL) 14 March 2000 (2000-03-14) * column 2, line 17 - line 22 * * column 3, line 64 - column 4, line 14 * * column 4, line 45 - line 49 * * column 5, line 7 - line 14 * * column 6, line 54 - line 64 * --- | 1,5-13, 21-28 | G06F19/00 G07F17/34 |
| Y | US 6 135 884 A (GRISWOLD CHAUNCEY W ET AL) 24 October 2000 (2000-10-24) * abstract * * column 3, line 66 - column 4, line 17 * --- | 1,5-13, 21-28 | |
| Y | GB 2 124 505 A (BALLY MFG CORP) 22 February 1984 (1984-02-22) * page 1, line 30 - line 34 * * page 1, line 70 - line 77 * * page 1, line 105 - line 109 * * page 1, line 117 - line 121 * --- | 1,5-13, 21-28 | |
| X,P | PATENT ABSTRACTS OF JAPAN vol. 2002, no. 08, 5 August 2002 (2002-08-05) -& JP 2002 113150 A (ARUZE CORP), 16 April 2002 (2002-04-16) * abstract; figures 1-12 * --- | 1-3, 5-15, 17-28 | TECHNICAL FIELDS SEARCHED (Int.Cl.7) G07F G06F A63F |
| A | PATENT ABSTRACTS OF JAPAN vol. 1998, no. 08, 30 June 1998 (1998-06-30) & JP 10 071228 A (UNIVERSAL HANBAI KK), 17 March 1998 (1998-03-17) * abstract * --- | 1,5-13 | |
| -/-- | | | |
| The present search report has been drawn up for all claims | | | |
| Place of search MUNICH | | Date of completion of the search 7 January 2003 | Examiner Sisk, A |
| <p>CATEGORY OF CITED DOCUMENTS</p> <p>X : particularly relevant if taken alone Y : particularly relevant if combined with another document of the same category A : technological background O : non-written disclosure P : intermediate document</p> <p>T : theory or principle underlying the invention E : earlier patent document, but published on, or after the filing date D : document cited in the application L : document cited for other reasons - : member of the same patent family, corresponding document</p> | | | |

EPO FORM 1503 (03.02) (P/0401)

BEST AVAILABLE COPY



European Patent
Office

EUROPEAN SEARCH REPORT

Application Number
EP 02 29 1232

| DOCUMENTS CONSIDERED TO BE RELEVANT | | | |
|--|--|--|---|
| Category | Citation of document with indication, where appropriate, of relevant passages | Relevant to claim | CLASSIFICATION OF THE APPLICATION (IntCl.7) |
| A | PATENT ABSTRACTS OF JAPAN vol. 2000, no. 12, 3 January 2001 (2001-01-03) & JP 2000 262738 A (NAMCO LTD), 26 September 2000 (2000-09-26) * abstract * | 1-28 | |
| A | WO 99 53454 A (GAME DATA INC) 21 October 1999 (1999-10-21) * page 2, line 7 - line 11 * * page 5, line 30 - page 6, line 3 * * page 8, line 5 - line 10; figure 1 * ----- | 1-4, 14-21, 25-28 | |
| The present search report has been drawn up for all claims | | | TECHNICAL FIELDS SEARCHED (IntCl.7) |
| Place of search MUNICH | | Date of completion of the search 7 January 2003 | Examiner Sisk. A |
| CATEGORY OF CITED DOCUMENTS X: particularly relevant if taken alone Y: particularly relevant if combined with another document of the same category A: technological background O: non-written disclosure P: intermediate document | | T: theory or principle underlying the invention E: earlier patent document, but published on, or after the filing date D: document cited in the application L: document cited for other reasons S: member of the same patent family, corresponding document | |

EPO FORM 1500 (2003) 28.02.03

BEST AVAILABLE COPY

**ANNEX TO THE EUROPEAN SEARCH REPORT
ON EUROPEAN PATENT APPLICATION NO.**

EP 02 29 1232

This annex lists the patent family members relating to the patent documents cited in the above-mentioned European search report.
The members are as contained in the European Patent Office EDP file on
The European Patent Office is in no way liable for these particulars which are merely given for the purpose of information.

07-01-2003

| Patent document cited in search report | | Publication date | Patent family member(s) | Publication date |
|---|---|---------------------|----------------------------|---------------------|
| US 6036188 | A | 14-03-2000 | AU 4190999 A | 06-12-1999 |
| | | | WO 9959686 A1 | 25-11-1999 |
| | | | US 6036189 A | 14-03-2000 |
| US 6135884 | A | 24-10-2000 | AU 746506 B2 | 02-05-2002 |
| | | | AU 7885898 A | 18-02-1999 |
| | | | BR 9806529 A | 13-03-2001 |
| | | | EP 0896308 A1 | 10-02-1999 |
| | | | JP 11099283 A | 13-04-1999 |
| | | | JP 2002095786 A | 02-04-2002 |
| | | | US 6368216 B1 | 09-04-2002 |
| | | | ZA 9807113 A | 16-03-1999 |
| GB 2124505 | A | 22-02-1984 | AU 1585083 A | 12-01-1984 |
| | | | BE 897234 A1 | 03-11-1983 |
| | | | BR 8303521 A | 07-02-1984 |
| | | | DE 3323894 A1 | 12-01-1984 |
| | | | DK 282983 A | 07-01-1984 |
| | | | FR 2529796 A1 | 13-01-1984 |
| | | | IT 1170431 B | 03-06-1987 |
| | | | JP 59077879 A | 04-05-1984 |
| | | | LU 84900 A1 | 23-11-1983 |
| | | | NL 8302393 A | 01-02-1984 |
| | | | NO 832434 A | 09-01-1984 |
| | | | PT 76978 A ,B | 01-08-1983 |
| | | | SE 8303819 A | 07-01-1984 |
| JP 2002113150 | A | 16-04-2002 | NONE | |
| JP 10071228 0 | A | | NONE | |
| JP 2000262738 | A | 26-09-2000 | NONE | |
| WO 9953454 | A | 21-10-1999 | AU 3478199 A | 01-11-1999 |
| | | | WO 9953454 A1 | 21-10-1999 |

EPC FORM P 3459

For more details about this annex : see Official Journal of the European Patent Office, No 12/82

BEST AVAILABLE COPY